



## Questionnaire Offers for Pendulum Impact Testers

### PSd 50

<b>Tests according to standards</b>	Charpy:	ASTM D6110 DIN EN ISO 179-1 DIN EN ISO 179-2 GOST 4647 other:	
	Izod:	ASTM D256 DIN EN ISO 180 other:	
	Tensile-impact tests:	ASTM D1822 DIN EN ISO 8256 other:	
	Impact-bending tests:	DIN 50116 DIN 53435 DIN 51230 other:	
<b>Impact energy</b>	up to 15 J	up to 25 J	up to 50 J
<b>Safety enclosure</b>	open	closed with locking switch	
<b>Installation</b>	customer's table	machine table	
<b>Charpy test</b>			
<b>Anvil with support plate</b>	10 x 10 x 55 mm	edgewise test 4 x 3 x 27 mm	flatwise test 6 x 4 x 50 mm
	edgewise test 10 x 2.5 x 55 mm flatwise test 15 x 10 x 120 mm other:	edgewise test 10 x 4 x 80 mm zinc - 6 x 6 x 75 mm	flatwise test 10 x 4 x 80 mm

<b><u>Izod test</u></b>	
<b>Vise</b>	specimen 12.7 x 12.7 mm    specimen 12.7 x 6.4 mm    specimen 12.7 x 3.2 mm specimen 10 x 4 mm    other:
<b><u>Tensile impact test</u></b>	
<b>Vise for specimen types</b>	specimen type ASTM D1822: specimen type DIN EN ISO 8256: other:
<b>Operation</b>	evaluation software instrumentation adjustable impact velocity
<b>Cryostate</b>	temperature range:
<b>Transport</b>	
<b>Commissioning</b>	

Customer	
Contact	
Email address	
Date	

If you use Adobe Reader, you can directly press this button:

If you use Microsoft Edge or Google Chrome, save the filled form and send it to [info@wpm-leipzig.de](mailto:info@wpm-leipzig.de).

Thank you!